
# Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

### **II CLIPSAL**





3043HSUSB-VW

### Main

Range	Clipsal Iconic	
Product or component type	USB charger	
[Ue] rated operational voltage	220/240 V AC 50 Hz	
Integrated connection type	3 USB 2.0 type A 5 V DC, maximum load current: 2.1 A	
maximum load current with 2 outputs used simultaneously	4.5 A	

## Complementary

Device mounting	Flush	
Device presentation	Complete product	
Colour tint	Vivid white (VW)	
Surface finish	Matt Textured	
Fixing mode	By screws	
Type of packing	Polybag	
Ambient air temperature for operation	040 °C	
Ambient air temperature for storage	-550 °C	
Relative humidity	1595 %	
Protection type	Short time short-circuit protection	
Number of terminals	3 screw terminal	
Screwdriver shape	Square drive no 1 (SQ1) Philips No 2	
Clamping connection capacity	4 x 2.5 mm² for stranded cable(s) 4 x 2.5 mm² for flexible cable(s) 4 x 2.5 mm² for rigid cable(s)	
Wire stripping length	16 mm	
Height	78 mm	
width	70 mm	
Depth	70 mm	
Embedding depth	35 mm	

### **Environment**

Product certifications	RCM
Electrical insulation class	Class II

IK degree of protection	IK04	
IP degree of protection	IP21	

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.5 cm
Package 1 Width	9.8 cm
Package 1 Length	15.1 cm
Package 1 Weight	167 a



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

⊘ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	18
Environmental Disclosure	Product Environmental Profile

### **Use Better**

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

# **Use Again**

Circularity Profile	No need of specific recycling operations
Take-back	No