

Application	Indoor
KG	10.5KG
	79*79*20cm

MODEL:	Eva
Color:	Gold
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	72W
Demension:	L800*410mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E14*16PCS

9000221504



Application
Indoor

10.5KG

79*35*22cm

9000221503

MODEL:	Erica
Color:	Gold
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	40W
Demension:	L790*350mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E14*10PCS



Application
Indoor

14.8KG

67*67*29cm

9000221502

MODEL:	Elspeth
Color:	Black+Gold
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	44W
Demension:	L590*H310mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E12*11PCS



9000221502

Application
Indoor

1PCS 14.9KG

67*67*29CM

MODEL:	Elspeth
Color:	Black+Golden
Material:	Iron+Crystal
Voltage:	AC 220-240V
Wattage:	44W
Demension:	D500*H310mm
CCT:	3000K
CRI:	80
IP rate:	IP44
Light source:	E14*11PCS





Application
Indoor

13.5KG

83*29*33cm

9000221501

MODEL:	Ellie
Color:	Black+Gold
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	32W
Demension:	L790*H300mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E12*8PCS




9000221501

Application
Indoor

1PCS 13.4KG

83*33*26CM

MODEL:	Ellie
Color:	Black+Golden
Material:	Iron+Crystal
Voltage:	AC 220-240V
Wattage:	32W
Demension:	L790*H300mm
CCT:	3000K
CRI:	80
IP rate:	IP44
Light source:	E14*8PCS





Application	Indoor
KG	15.8KG
	66*66*21.5cm

9000221499

MODEL:	Dolly
Color:	Gold
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	32W
Demension:	D600*H280mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E14*8PCS



Application	KG	
Indoor	12KG	73*36*28cm

9000221500

MODEL:	Elizabet
Color:	Gold
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	32W
Demension:	L680*W310*H280mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E27*6PCS



Application
Indoor

4.9KG

47*47*28cm

MODEL:	Debby
Color:	Black+Gold
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	16W
Demension:	D400*H350mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E12*4PCS

9000221497



9000032892

Application	Indoor
	1PCS 5KG
	47*47*28CM

MODEL:	Delia
Color:	Black
Material:	Iron+Crystal
Voltage:	AC 220-240V
Wattage:	16W
Demension:	400*H350mm
CCT:	3000K
CRI:	80
IP rate:	IP44
Light source:	E14*4PCS





Application
Indoor

4.9KG

47*47*28cm

MODEL:	Delia
Color:	Gold
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	16W
Demension:	D400*H350mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E12*4PCS

9000221498



Application	Indoor
KG	8KG
	68*68*15cm

9000221510

MODEL:	Doreen
Color:	Gold
Material:	Steel+Glass
Voltage:	AC 220-240V
Wattage:	100W
Demension:	D800*H3000mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP20
Light source:	E27*20PCS



9000171792

Application	Indoor
	1PCS 17KG
	87*87*40CM

MODEL:	DOREEN
Color:	black + ball gold
Material:	Iron+Acrylic
Voltage:	AC 220-240V
Wattage:	80W
Demension:	800*H3000mmm
CCT:	3000K
CRI:	80
IP rate:	IP20
Light source:	20PCS





9000027498

Application	Indoor
	1PCS 9KG
	69*69*36CM

MODEL:	Zoe
Color:	all silver
Material:	Iron+Acrylic
Voltage:	AC 220-240V
Wattage:	48W
Demension:	500*H2000mm
CCT:	3000K
CRI:	80
IP rate:	IP20
Light source:	15PCS





9000021598

Application	Indoor
	1PCS 9KG
	59*59*56CM

MODEL:	Zara
Color:	black + ball gold
Material:	Iron+Acrylic
Voltage:	AC 220-240V
Wattage:	48W
Demension:	500*H2000mm
CCT:	3000K
CRI:	80
IP rate:	IP20
Light source:	15PCS





9000221494

Application
Indoor

1PCS 11.8KG

69*69*34CM

MODEL:	Yvonne
Color:	Silver
Material:	Iron+Acrylic
Voltage:	AC 220-240V
Wattage:	48W
Demension:	500*H2000mm
CCT:	3000K
CRI:	80
IP rate:	IP20
Light source:	15PCS






9000221509

Application	Indoor
	1PCS 21.8KG
	58*58*25CM

MODEL:	Yuri
Color:	Silver
Material:	Iron+Acrylic
Voltage:	AC 220-240V
Wattage:	48
Demension:	500*H2000mm
CCT:	3000K
CRI:	80
IP rate:	IP20
Light source:	15PCS





9000221508

Application
Indoor

1PCS 10.5KG

60*60*28CM

MODEL:	Yedda
Color:	Silver
Material:	Iron+Acrylic
Voltage:	AC 220-240V
Wattage:	48W
Demension:	500*H2000mm
CCT:	3000K
CRI:	80
IP rate:	IP20
Light source:	with memory+ 3CCT





9000221507

Application	Indoor
	1PCS 8.8KG
	72*72*20CM

MODEL:	Eleanor
Color:	all black
Material:	Iron+Acrylic
Voltage:	AC 220-240V
Wattage:	48W
Demension:	500*H2000mm
CCT:	3000K
CRI:	80
IP rate:	IP20
Light source:	with memory+ 3CCT






9000221506

Application	Indoor
	1PCS 16KG
	90*56*19CM

MODEL:	Edna
Color:	all black
Material:	Iron+Acrylic
Voltage:	AC 220-240V
Wattage:	60W
Demension:	500*H2000mm
CCT:	3000K
CRI:	80
IP rate:	IP20
Light source:	with memory+ 3CCT





Application
Indoor

KG
8KG

68*68*15cm

MODEL:	Eleanor
Color:	Gold
Material:	Steel+Acrylic
Voltage:	AC 220-240V
Wattage:	55W
Demension:	D500*H2000mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	LED15PCS

9000221513



Application	KG	
Indoor	10.5KG	68*68*25cm

9000221511

MODEL:	Dot
Color:	Black
Material:	Steel+Acrylic
Voltage:	AC 220-240V
Wattage:	90W
Demension:	D500*H2000mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	LED18PCS



Application
Indoor

15.5KG

68*68*25cm

9000221512

MODEL:	Edna
Color:	Gold
Material:	Steel+Acrylic
Voltage:	AC 220-240V
Wattage:	45w
Demension:	D500*H2000mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	LED15PCS



Application
Indoor

6.9KG

42*42*34cm

MODEL:	Dulcie
Color:	Silver
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	8W
Demension:	D400*H325mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E12*2PCS

9000221487



Application	KG	
Indoor	3.4KG	45*42*16cm

9000221487

MODEL:	Cora
Color:	Silver
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	4W
Demension:	D160*H325mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PCS




9000221491

Application
Indoor

1PCS 6.3KG

56*48*34CM

MODEL:	Dulcie
Color:	black
Material:	Iron+Crystal
Voltage:	AC 220-240V
Wattage:	16W
Demension:	400*325mm
CCT:	3000K
CRI:	80
IP rate:	IP44
Light source:	E14*4PCS





9000221493

Application
Indoor

1PCS 6.3KG

56*48*34CM

MODEL:	Dorothy
Color:	black
Material:	Iron+Crystal
Voltage:	AC 220-240V
Wattage:	12W
Demension:	φ400*H1250mm
CCT:	3000K
CRI:	80
IP rate:	IP44
Light source:	E14*3PCS





9000221492

Application
Indoor

1PCS 4.3KG

46*38*31CM

MODEL:	Doris
Color:	black
Material:	Iron+Crystal
Voltage:	AC 220-240V
Wattage:	12W
Demension:	φ300*H1200mm
CCT:	3000K
CRI:	80
IP rate:	IP44
Light source:	E14*3PCS







Application	Indoor
KG	1PCS 3.1KG
	40*32*22CM

MODEL:	Daphne
Color:	Black
Material:	Iron+Crystal
Voltage:	AC 220-240V
Wattage:	4W
Demension:	φ160*H325mm
CCT:	3000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PCS







Application
Indoor

KG
1PCS 2.6KG

40*32*22CM

MODEL:	Cora
Color:	Black
Material:	Iron+Crystal
Voltage:	AC 220-240V
Wattage:	4W
Demension:	160*325mm
CCT:	3000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PCS





Application	KG	
Indoor	2.7KG	40*32*22cm

MODEL:	Daphne
Color:	Black
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	4W
Demension:	D160*H325mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PCS

9000221488



9000243628

Application
Indoor

1PCS 1.6KG

105*28*28CM

MODEL:	Aggy
Color:	Black
Material:	Metal
Voltage:	AC 220-240V
Wattage:	95W
Demension:	L100CM*H150CM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips






9000243629

Application	Indoor
	1PCS 1.8KG
	105*30*10CM

MODEL:	Aggy
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	60W
Demension:	L100CM*H150CM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips





9000243630

Application
Indoor

1PCS 1.8KG

125*20*10CM

MODEL:	Aggis
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	40W
Demension:	L120CM*H150CM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips





9000243631

Application	Indoor
	1PCS 1.7KG
	105*18*22CM

MODEL:	Aggie
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	60W
Demension:	L100CM*H150CM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips





9000243632

Application
Indoor

1PCS 1.7KG

105*18*22CM

MODEL:	Agate
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	72W
Demension:	L100CM*H150CM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips





9000243633

Application	Indoor
	1PCS 2.3KG
	54*54*11CM

MODEL:	Agar
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	60W
Demension:	D50CM*H150CM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips





9000243634

Application
Indoor

1PCS 2.7KG

51*51*10CM

MODEL:	Ag
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	110W
Demension:	D60
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips






9000243635

Application	Indoor
	1PCS 3.5KG
	51*51*10CM

MODEL:	Afra
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	130W
Demension:	21CM+38CM+48CM*H150CM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips






9000243636

Application	Indoor
	1PCS 1.1KG
	95*21*10CM

MODEL:	Ady
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	40W
Demension:	L90CM*H150CM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips





9000243637


Application
Indoor

1PCS 2.8KG

41*41*18CM

MODEL:	Adriana
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	100W
Demension:	D400MM*H1500MM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips





9000243638

Application
Indoor

1PCS 1.4KG

95*25*10CM

MODEL:	Adelina
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	50W
Demension:	L900MM*H1500MM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips





9000243639

Application	Indoor
	1PCS 1.8KG
	105*30*10CM

MODEL:	Adelaide
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	50W
Demension:	L1000MM*H1500MM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips





9000243640

Application
Indoor

1PCS 5KG

91*91*25CM

MODEL:	Adela
Color:	Black+Amber
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	G9*12pcs
Demension:	D800MM
CCT:	3000K/4000K/6000k
CRI:	80
IP rate:	IP20
Light source:	G9*12heads





9405429011

Application
Indoor

1PCS 14.1KG

90*85*10CM

MODEL:	Abby(up and down)
Color:	Black/White
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	320W
Demension:	40+60+80CM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips





Application
Indoor

9.2KG

71*71*25cm

MODEL:	Celestine
Color:	Black
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	24W
Demension:	D720*H560mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E12*6PCS

9000221514




Application
Indoor

5.8KG

49*49*27cm

9000221505

MODEL:	Eugenia
Color:	Black
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	32W
Demension:	D420*620mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E12*8PCS




Application
Indoor

3.22kg(180CM)

184*16*11cm

MODEL:	Lumos
Color:	Black + black endcap/Black+wooden endcap
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	40W
Demension:	180CM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip

9000220094



Application
Indoor

KG
4kg(240CM)

245*16*11cm

MODEL:	Lumos
Color:	Black + black endcap/Black+wooden endcap
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	56W
Demension:	240CM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip

9000220095



Application
Indoor

4.5KG

65*65*20CM

9000220076

MODEL:	Prismatic
Color:	Black
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	132W
Demension:	D58cm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchip



Application	Indoor
KG	4.5KG
	65*65*20CM

MODEL:	Prismatic
Color:	Gold
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	132W
Demension:	D58cm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchip

9000220077



Application
Indoor

KG
4.8kg

75*75*10CM

9000220079

MODEL:	Radiant
Color:	Gray
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	150W
Demension:	30CM+40CM+50CM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip



Application
Indoor

KG
4.8kg

75*75*10CM

9000220078

MODEL:	Radiant
Color:	Black
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	150W
Demension:	30CM+40CM+50CM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip



Application	KG	
Indoor	4.2kg	85*85*10CM

9000220080

MODEL:	Sunray
Color:	Black
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	160W
Demension:	40CM+60CM+80CM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip



Application
Indoor

KG
4.2kg

85*85*10CM

9000220081

MODEL:	Sunray
Color:	Gold
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	160W
Demension:	40CM+60CM+80CM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip



Application	KG	
Indoor	5.6kg	56*85*85CM

9000220082

MODEL:	Twilight
Color:	Black
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	320W
Demension:	40CM+60CM+80CM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip



Application
Indoor

5.6kg

56*85*85CM

MODEL:	Twilight
Color:	Gold
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	320W
Demension:	40CM+60CM+80CM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip

9000220083



Application	Indoor
KG	4.2KG
	85*85*10CM

MODEL:	Vivid
Color:	Black
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	160W
Demension:	40cm+60cm+80cm
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip

9000220084



Application
Indoor

4.2KG

85*85*10CM

9000220085

MODEL:	Vivid
Color:	Gold
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	160W
Demension:	40cm+60cm+80cm
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip



Application	KG	
Indoor	4.2KG	85*85*10CM

9000220086

MODEL:	Scintilla
Color:	Black
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	160W
Demension:	60cm+80cm+80cm
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip



Application
Indoor

KG
4.2KG

85*85*10CM

9000220087

MODEL:	Scintilla
Color:	Gold
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	160W
Demension:	60cm+80cm+80cm
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip



Application	Indoor
KG	5.1KG
	90*85*10CM

9000220088

MODEL:	Lucidity
Color:	Black
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	220W
Demension:	40CM+60CM+80CM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchips



Application
Indoor

KG
5.1KG

90*85*10CM

9000220089

MODEL:	Lucidity
Color:	Black/Gold
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	220W
Demension:	40CM+60CM+80CM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchips



Application	KG	
Indoor	5.8KG	85*85*10CM

9000220091

MODEL:	Chroma
Color:	Gray blue
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	160W
Demension:	40CM+60CM+80CM/
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip



Application
Indoor

5.8KG

85*85*10CM

MODEL:	Chroma
Color:	Black
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	160W
Demension:	40CM+60CM+80CM/
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip

9000220090



Application
Indoor

8.3KG

105*105*10CM

MODEL:	Chroma
Color:	Gray blue
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	306W
Demension:	40CM+50CM+60CM+80CM+100CM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip

9000220093



Application
Indoor

8.3KG

105*105*10CM

9000220092

MODEL:	Chroma
Color:	Black
Material:	Alluminum+Acrylic
Voltage:	AC 220-240V
Wattage:	306W
Demension:	40CM+50CM+60CM+80CM+100CM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	SMDchip



Application
Indoor

KG
5.8KG

47*47*28cm

MODEL:	Di
Color:	Black
Material:	Steel+Crystal
Voltage:	AC 220-240V
Wattage:	16W
Demension:	D400*H630mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E12*4PCS

9000221489



Application
Indoor

KG
4.5KG

45.5*45.5*27CM

9000221351

MODEL :	Aaron
Material:	Glass+Crystal+Steel+Stainless Steel
Color:	Chrome Glass Chrome Metal
Demension:	Diameter 40CM
Voltage:	85-265V
Bulb:	G9
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent



Application
Indoor

2.8KG

35*35*23CM

9000221348

MODEL :	Aaron
Material:	Glass+Crystal+Steel+Stainless Steel
Color:	Glass, Chrome Metal
Demension:	Diameter 28CM
Voltage:	85-265V
Bulb:	G9
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent



Application
Indoor

KG
4.5KG

45.5*45.5*27CM

9000221352

MODEL :	Aaron
Material:	Glass+Crystal+Steel+Stainless Steel
Color:	CopperGlass Chrome Metal
Demension:	Diameter 40CM
Voltage:	85-265V
Bulb:	G9
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent



Application	KG	
Indoor	4.5KG	45.5*45.5*27CM

9000221350

MODEL :	Aaron
Material:	Glass+Crystal+Steel+Stainless Steel
Color:	Amber Glass Chrome Metal
Demension:	Diameter 40CM
Voltage:	85-265V
Bulb:	G9
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent



Application
Indoor

KG
2.8KG

35*35*23CM

9000221347

MODEL :	Aaron
Material:	Glass+Crystal+Steel+Stainless Steel
Color:	Amber Glass, Chrome Metal
Demension:	Diameter 28CM
Voltage:	85-265V
Bulb:	G9
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent



Application	Indoor
KG	2.8KG
	35*35*23CM

9000221349

MODEL :	Aaron
Material:	Glass+Crystal+Steel+Stainless Steel
Color:	Copper Glass, Chrome Metal
Demension:	Diameter 28CM
Voltage:	85-265V
Bulb:	G9
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent



Application
Indoor

KG
1.5KG

17.5*17.5*42CM

9000221361

MODEL :	Alger
Material:	Glass+Steel
Color:	Amber+Black
Demension:	Diameter 13CM
Voltage:	85-265V
Bulb:	E27
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent



Application	Indoor
KG	1.6KG
	34*31*26CM

9000221362

MODEL :	Aldrich
Material:	Glass+Steel
Color:	Amber+Black
Demension:	Diameter 25CM
Voltage:	85-265V
Bulb:	E27
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent



Application
Indoor

1.5KG

29*29*28CM

9000221360

MODEL :	Alan
Material:	Glass+Steel
Color:	Amber+Black
Demension:	Diameter 20CM
Voltage:	85-265V
Bulb:	E27
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent



Application
Indoor

4.5KG

45.5*45.5*27CM

MODEL :	Aaron
Material:	Glass+Crystal+Steel+Stainless Steel
Color:	Smoky Glass, Chrome Metal
Demension:	Diameter 40CM
Voltage:	85-265V
Bulb:	G9
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent

9000221357



Application
Indoor

KG
4.5KG

45.5*45.5*27CM

9000221356

MODEL :	Aaron
Material:	Glass+Crystal+Steel+Stainless Steel
Color:	Amber Glass, Chrome Metal
Demension:	Diameter 40CM
Voltage:	85-265V
Bulb:	G9
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent



Application
Indoor

0.6KG

43*19*20CM

9000221354

MODEL :	Abel
Material:	Glass+Steel
Color:	Smoke Glass, Black Metal
Demension:	Diameter 13CM H34CM
Voltage:	85-265V
Bulb:	E27
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent



Application	Indoor
KG	0.6KG
	32*21*22cm

9000221353

MODEL :	Abbott
Material:	Glass+Steel
Color:	Smoke Glass, Black Metal
Demension:	Diameter 15CM H23CM
Voltage:	85-265V
Bulb:	E27
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent



Application
Indoor

KG
1.8KG

45*35*19CM

MODEL :	Alan
Material:	Aluminum+Steel
Color:	Black+White
Demension:	Diameter 30CM
Voltage:	85-265V
Bulb:	LED
Wattage:	10W,3000K
Cable:	Lenghth 150CM,Transparent


9000221358



Application	Indoor
	1.1KG
	27*22*18CM

9000221359

MODEL :	Alan
Material:	Aluminum+Steel
Color:	Black
Demension:	Diameter 16CM
Voltage:	85-265V
Bulb:	LED
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent



Application
Indoor

4.0KG(10pcs)

45.5*45.5*27CM

MODEL: Abner

Material:	Aluminum+Steel
Color:	White/Black
Demension:	Diameter 6CM H50CM
Voltage:	85-265V
Bulb:	LED
Wattage:	5W,3000K
Cable:	Lenghth 150CM,Transparent

9000221355



Application		
outdoor	4.7KG(2PCS)	49*28*48cm

9000221480

MODEL:	Charlene
Color:	Black
Material:	Aluminum+glass
Voltage:	AC 220-240V
Wattage:	5W
Demension:	183*205*406mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP65
Light source:	E27*1PC



Application		
Outdoor	6KG(2pcs)	39*23*39CM

9000220050

MODEL:	Radiance
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	6W
Demension:	H360*W135MM
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP65
Light source:	E27bulb



Application	outdoor
	4KG(2PCS)
	41.5*25.5*37cm

MODEL:	Chrissie
Color:	Black
Material:	Aluminum+glass
Voltage:	AC 220-240V
Wattage:	5W
Demension:	165*203*290mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP65
Light source:	E27*2PC

9000221483



Application
outdoor

6.4KG(2pcs)

48.5*27.5*38cm

MODEL:	Cecilia
Color:	Black
Material:	Aluminum+glass
Voltage:	AC 220-240V
Wattage:	5W
Demension:	183*205*406mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP65
Light source:	E27*1PC

9000221481



Application	KG	
outdoor	5.8KG(2pcs)	50.5*31*46cm

MODEL:	Cecilia
Color:	Black
Material:	Aluminum+glass
Voltage:	AC 220-240V
Wattage:	5W
Demension:	205*250*385mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP65
Light source:	E27*1PC

9000221479



Application
outdoor

5.8KG(2pcs)

50.5*31*46cm

MODEL:	Carrie
Color:	Black
Material:	Aluminum+glass
Voltage:	AC 220-240V
Wattage:	5W
Demension:	205*250*385mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP65
Light source:	E12*2PC

9000221478



Application
outdoor

5.8KG(2pcs)

50.5*31*46cm

MODEL:	Carla
Color:	Black
Material:	Aluminum+glass
Voltage:	AC 220-240V
Wattage:	5W
Demension:	180*210*310mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP65
Light source:	E27*1PC

9000221477



Application	outdoor
KG	6.4KG(2pcs)
	50*27*52cm

9000221485

MODEL:	Crystal
Color:	Black
Material:	Aluminum+glass
Voltage:	AC 220-240V
Wattage:	8W
Demension:	280*280*200mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP65
Light source:	E27*2PC



Application	KG	
outdoor	6.2KG(2pcs)	42.5*29.5*49.5cm

9000221484

MODEL:	Cleo
Color:	Black
Material:	Aluminum+glass
Voltage:	AC 220-240V
Wattage:	8W
Demension:	190*150*440mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP65
Light source:	E27*1PC



Application
outdoor

KG
4.3KG

45*23*49cm

MODEL:	Cindy
Color:	Black
Material:	Aluminum+glass
Voltage:	AC 220-240V
Wattage:	5W
Demension:	175*175*455mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP65
Light source:	E27*1PC

9000221482



Application
Outdoor

12KG(10pcs)

67*27.5*62CM

MODEL:	Highlight
Color:	Black
Material:	Alluminum
Voltage:	DC24V
Wattage:	12W
Demension:	H600MM
CCT:	6000k
CRI:	80
IP rate:	IP65
Light source:	COBChips

9000220073



Application
Outdoor

21.9KG(10pcs)

84*34*84CM

MODEL:	Spectra
Color:	Black
Material:	stainless steel
Voltage:	DC24V
Wattage:	12W
Demension:	D114*H800MM
CCT:	3000k/4000k/6000k
CRI:	80
IP rate:	IP65
Light source:	E27Bulb

9000220065



Application
Outdoor

12.5KG(30pcs)

54.5*54.5*34CM

MODEL:	Gleam
Color:	Black
Material:	Alluminum
Voltage:	DC24V
Wattage:	9W
Demension:	D90*H120MM
CCT:	6000k
CRI:	80
IP rate:	IP65
Light source:	COBChip

9000217982



Application
Indoor

10.9KG(30pcs)

54*33*28CM

MODEL:	Glow
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	12W
Demension:	D100*H120MM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	COBchip

9000220052



White

9000220072

black

9000220071

Application

Indoor

100PCS 13KG

52*42*37CM

MODEL:	Abagail
Color:	Black/White
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	3W
Demension:	D60
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	COBchips





Application
Indoor

KG
200PCS

42*42*34CM

MODEL:	Glisten
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	3W
Demension:	D60*H30MM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	COBchips

9000220071




Application
Indoor

200PCS

42*42*34CM

9000220072

MODEL:	Glisten
Color:	White
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	3W
Demension:	D60*H30MM
CCT:	3000K-6000K
CRI:	90
IP rate:	IP20
Light source:	COBchips



Application
Outdoor

9.9KG(50pcs)

42*40.5*28CM

MODEL:	Neon
Color:	White
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	6W
Demension:	D120*D120MM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips

9000220071



9000243689


Application
Outdoor

30PCS 13.7KG

60*30*30CM

MODEL:	Abbey
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	10W
Demension:	270*80*55mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP65
Light source:	SMDchips







black

9000016451

Application	Outdoor
KG	40PCS 10.6KG
	57*36*30CM

MODEL:	Gem
Color:	Black
Material:	Alluminum
Voltage:	DC24V
Wattage:	3W
Demension:	D117*H32CM
CCT:	6000K
CRI:	80ra
IP rate:	IP65
Light source:	SMD chips





black

9000016455

MODEL:	Pearl
Color:	Black
Material:	Alluminum
Voltage:	DC24V
Wattage:	3W
Demension:	D117*H32CM
CCT:	6000K
CRI:	80ra
IP rate:	IP65
Light source:	SMD chips

Application

Outdoor

40PCS 11.4KG

57*36*30CM





9000243690

Application	Indoor
	30PCS 14.3KG
	54*33.5*37CM

MODEL:	Aberdeen
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	7W
Demension:	D160*45MM
CCT:	6000K
CRI:	80
IP rate:	IP65
Light source:	SMDchips





black

9000016368

Application

Outdoor

100PCS 14.8KG

58*48*20CM

MODEL:	Ruby
Color:	Black
Material:	Alluminum
Voltage:	DC24V
Wattage:	3W
Demension:	D83*H26CM
CCT:	6000K
CRI:	80ra
IP rate:	IP65
Light source:	SMD chips





black

9000033783


Application

Outdoor

30PCS 9.5KG

43*28*2557
*36*30CM

MODEL:	Alsa
Color:	Black
Material:	Alluminum
Voltage:	DC24V
Wattage:	6W
Demension:	L210*W60*H28CM
CCT:	6000K
CRI:	80ra
IP rate:	IP65
Light source:	SMD chips





Application
Indoor

11.5KG(40pcs)
16.2KG(40pcs)

62*37*25CM
42.5*32*33CM

9000221361

MODEL:	Opalescence
Color:	Black
Material:	Alluminum
Voltage:	DC24V
Wattage:	3W/6W
Demension:	L105*W60MM/L145*W80MM
CCT:	3000K
CRI:	80
IP rate:	IP20
Light source:	SMDchips



black

9000024514

Application

Outdoor

30PCS 10.3KG

43*29*25CM

MODEL:	Victory
Color:	Black
Material:	Alluminum
Voltage:	DC24V
Wattage:	6W
Demension:	L210*W60*H28CM
CCT:	6000K
CRI:	80ra
IP rate:	IP65
Light source:	SMD chips






Application
Indoor

20.5KG(100pcs)

67*46.5*20CM

MODEL:	Chroma
Color:	Black
Material:	Alluminum
Voltage:	AC220-240V
Wattage:	3W
Demension:	D80*D80MM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	COBchips

9000220068



Application
Indoor

20.5KG(100pcs)

67*46.5*20CM

MODEL:	Chroma
Color:	White
Material:	Alluminum
Voltage:	AC220-240V
Wattage:	3W
Demension:	D80*D80MM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP20
Light source:	COBchips

9000220069



Application	KG	
Outdoor	14KG(30pcs)	51.5*30*20.5CM

9000220055

MODEL:	Aurora
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	12W
Demension:	175*85*30MM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP65
Light source:	SMDchips



Application
Outdoor

17KG(40pcs)

56.5*45.5*24CM

9000220058

MODEL:	Beacon
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	12W
Demension:	100*100*100mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP65
Light source:	SMDchips






Application	Ootdoor
KG	30pcs
	57*34.5*44CM

MODEL:	RL-B30-2RD
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	10W
Demension:	200*100*100MM
CCT:	3000-6000K
CRI:	80
IP rate:	IP65
Light source:	COB chip





9000016040

Application
Ootdoor

30pcs

57*34.5*44CM

MODEL:	RL-B30-2SD
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	10W
Demension:	200*100*100MM
CCT:	3000-6000K
CRI:	80
IP rate:	IP65
Light source:	COB chip






Application
Outdoor

25.2KG(30pcs)

57*34.5*44CM

MODEL:	Twinkle
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	12W
Demension:	W100*H200MM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP65
Light source:	COBchips

9000220060



Application
Outdoor

28.5KG(30pcs)

68*57*33CM

MODEL:	Shimmer
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	12W
Demension:	H300*100*100MM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP65
Light source:	COBchips

9000220053



Application
Outdoor

26.5KG(30pcs)

68*57*33CM

9000220054

MODEL:	Sparkle
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	12W
Demension:	H300*100*100MM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP65
Light source:	COBchips




Application
Outdoor

17KG(20pcs)

67*54*29CM

MODEL:	Brilliance
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	7W
Demension:	D120*W80*H250MM
CCT:	6000K
CRI:	80
IP rate:	IP65
Light source:	SMDchips

9000220051



Application
Outdoor

28KG(20pcs)

69.5*50*33CM

9000220059

MODEL:	Ray
Color:	Black+Goldcolor
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	12W
Demension:	280*80*80MM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP65
Light source:	COBchips



Application
Outdoor

16.5KG(30pcs)

51.5*30*20.5CM

MODEL:	Glitter
Color:	Black+GoldColor
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	12W
Demension:	175*85*30MM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP65
Light source:	SMDchip

9000220057



Application
Outdoor

14.6KG(20pcs)

55.5*45*33CM

MODEL:	Halo
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	12W
Demension:	280*80*80MM
CCT:	3000K-6000K
CRI:	80
IP rate:	IP65
Light source:	COBchips


9000220056



Application	KG	
Indoor	17.2KG(8pcs)	62*34*41cm

9000214289

MODEL:	Luminous
Color:	Black
Material:	Steel
Voltage:	AC198-264V
Wattage:	11W
Demension:	W120*H350*63MM
CCT:	3000K
CRI:	80
IP rate:	IP65
Light source:	SMDchips



Application
Outdoor

18KG(6pcs)

125*17.5*19CM

MODEL:	Photon
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	24W
Demension:	1200*80*40mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP65
Light source:	SMDchips

9000220062



Application
Outdoor

KG
11KG(6pcs)

65*17.5*19CM

9000220063

MODEL:	Starshine
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	15W
Demension:	600*80*40mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP65
Light source:	SMDchip




Application
Outdoor

18KG(6pcs)

125*17.5*19CM

9000220064

MODEL:	Starshine
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	24W
Demension:	1200*80*40mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP65
Light source:	SMDchip



Application
Outdoor

11KG(6pcs)

65*17.5*19CM

MODEL:	Photon
Color:	Black
Material:	Alluminum
Voltage:	AC 220-240V
Wattage:	15W
Demension:	600*80*40mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP65
Light source:	SMDchips

9000220061



Application
indoor

KG
2.65KG

45*45*50cm

MODEL:	Alethea
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W380*H670mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221461



Application
indoor

2.4KG

45*45*44cm

MODEL:	Beata
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W400*H750mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221471



Application
indoor

2.7KG

45*45*44cm

MODEL:	Aurelian
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W300*H550mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221470



Application
indoor

KG
2.7KG

45*45*44cm

MODEL:	Audrey
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W420*H680mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221468



Application
indoor

1.75KG

61*35*35cm

MODEL:	Annette
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W300*H580mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221467



Application
indoor

1.7KG

45*45*50cm

MODEL:	Anna
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W380*H580mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221466



Application
indoor

2.55KG

45*45*44cm

MODEL:	Angie
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W380*H600mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221465



Application
indoor

KG
4.2KG

65*50*30cm

MODEL:	Amanda
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W380*H650mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221464



Application
indoor

KG
3.7KG

45*45*44cm

MODEL:	Althea
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W380*H670mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221469



Application
indoor

2.7KG

45*45*44cm

MODEL:	Alexis
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W380*H680mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221463



Application
indoor

4.2KG

61*45*45cm

MODEL:	Aileen
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W380*H650mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221462



Application
indoor

2.9KG

61*45*45cm

MODEL:	Agatha
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W380*H700mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221460



Application
indoor

KG
package1 5.5kg
package2 5.6kg

50*50*30cm
75*35*25cm

MODEL:	BARBARA
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W400*H1600mm
CCT:	3000K-6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221472



Application
indoor

KG
Package 1 3.9KG
Package 2 3KG

55*55*30cm
150*13*13cm

MODEL:	Belinda
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W450*H1650mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221473



Application
indoor

KG
Package 1 3KG
Package 2 3KG

47*33*22cm
51*51*42cm

MODEL:	Betty
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W500*H1620mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC

9000221474



Application
indoor

KG
Package 1 2.5KG
Package 2 1.2KG

90*25*10cm
55*55*30cm

9000221476

MODEL:	Bonny
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W450*H1600mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC



Application
indoor

KG
Package 1 5.5KG
Package 2 3KG

90*50*15cm
50*50*30cm

9000221475

MODEL:	Bridget
Color:	Black+Gold
Material:	Steel+TC
Voltage:	AC 220-240V
Wattage:	10W
Demension:	W420*H1800mm
CCT:	3000K/4000K/6000K
CRI:	80
IP rate:	IP44
Light source:	E27*1PC



MODEL:	Ascender
Air Movement:	12,000m³/hr
Voltage:	220-240V-50HZ
Power Wattage :	35W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Blade pitch:	Curved Surface
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface

9000223500



MODEL:	Ascender
Air Movement:	12,000m³/hr
Voltage:	220-240V-50HZ
Power Wattage :	35W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Blade pitch:	Curved Surface
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface

9000223498



MODEL:	Ascender
Air Movement:	12,000m³/hr
Voltage:	220-240V-50HZ
Power Wattage :	35W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Blade pitch:	Curved Surface
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface

9000223499



MODEL: Alexia

Air Movement:	16,000m³/hr
Voltage:	220-240V-50HZ
Power Wattage :	55W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Light Kit:	W/O 24W LED light kit
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface

9000223494



MODEL: Alexia

Air Movement:	16,000m³/hr
Voltage:	220-240V-50HZ
Power Wattage :	55W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Light Kit:	W/O 24W LED light kit
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface

9000223497



MODEL: Alexia

Air Movement:	16,000m³/hr
Voltage:	220-240V-50HZ
Power Wattage :	55W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Light Kit:	W/O 24W LED light kit
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface

9000223496



MODEL: Alexia

Air Movement:	16,000m³/hr
Voltage:	220-240V-50HZ
Power Wattage :	55W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Light Kit:	W/O 24W LED light kit
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface

9000223493



MODEL: Alexia

Air Movement:	16,000m³/hr
Voltage:	220-240V-50HZ
Power Wattage :	55W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Light Kit:	W/O 24W LED light kit
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface

9000223495



MODEL: Alexia

Air Movement:	16,000m³/hr
Voltage:	220-240V-50HZ
Power Wattage :	55W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Light Kit:	W/O 24W LED light kit
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface

9000223492



MODEL: Brisa

Air Movement:	12500m^3/hr
Voltage:	220-240V-50HZ
Power Wattage :	35W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Light Kit:	W/O 18W LED light kit
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface


9000223501



MODEL: Brisa

Air Movement:	12500m^3/hr
Voltage:	220-240V-50HZ
Power Wattage :	35W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Light Kit:	W/O 18W LED light kit
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface

9000223502



MODEL: Brisa

Air Movement:	12500m^3/hr
Voltage:	220-240V-50HZ
Power Wattage :	35W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Light Kit:	W/O 18W LED light kit
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface

9000223505



MODEL: Brisa

Air Movement:	12500m^3/hr
Voltage:	220-240V-50HZ
Power Wattage :	35W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Light Kit:	W/O 18W LED light kit
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface

9000223506



MODEL: Brisa

Air Movement:	12500m^3/hr
Voltage:	220-240V-50HZ
Power Wattage :	35W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Light Kit:	W/O 18W LED light kit
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface


9000223504



MODEL: Brisa

Air Movement:	12500m^3/hr
Voltage:	220-240V-50HZ
Power Wattage :	35W
Motor:	DC
Rated Lifetime:	35,000 hours @Ta25℃
Light Kit:	W/O 18W LED light kit
Control:	Supplied with 6 speed remote controland timer
Materials/Blade:	Metal body and canopy with ABS blades
Hangsure canopy:	Zero Degree - must be installed on atlevel surface

9000223503



9000047191

INCLUDED IN THE BOX

-3Gang Wall Switch

-150mm*3M Aluminium Duct

-120mm to 150mm Adaptor

-2*150mm Pipe Clamp

-1*120mm pipe Clamp

-Wall Extraction Plate Fascia

MODEL: N0706H2

Wattage:	12W
Voltage:	AC 220-240V-50HZ
Air Flow :	400CBM /h

MODEL: N0706H2

Ball Bearing Motor:	40W
Cutout:	430*250mm
Ip Rating :	20
Motor Speed :	1100rpm
Fan Wheel :	Φ160mm
Noise:	48db
Thermal Switch:	Built In
Lumens:	800(Warm White 3000K)
Lumens:	900(White 5000K)
Replacement:	2yr Warranty
Wall Switch:	3Gang Included
Duct Size Dia.:	120mm
Heat Lamp:	2*275W



INCLUDED IN THE BOX

-4 Gang Wall Switch

-150mm*3M Aluminium Duct

-120mm to 150mm Adaptor

-2*150mm Pipe Clamp

-1*120mm pipe Clamp


MODEL: N0811H4


Wattage:	16W
Voltage:	AC 220-240V-50HZ
Air Flow :	400CBM /h

MODEL: N0811H4

Ball Bearing Motor:	40W
Cutout:	430*270mm
Ip Rating :	20
Motor Speed :	1100rpm
Fan Wheel :	Φ160mm
Noise:	48db
Thermal Switch:	Built In
Lumens:	1100(Warm White 3000K)
Lumens:	1200(White 5000K)
Replacement:	2yr Warranty
Wall Switch:	4Gang Included
Duct Size Dia.:	120mm
Heat Lamp:	4*275W







9000050022


MODEL:	N0206H2
Power input:	200-240V~50/60Hz
Material:	PC
Air Flow :	⩽260m³/h
Total Watt :	593W
Included :	Wall Control -3 Switch Φ100m*1.5m Aluminium ducting 2*100mm clamps Exterior Vent Draft Stopper 390*220mm cut-out template


HEAT	
heat lamp:	2*Infra Red R125 E27
Watt:	275W
Safety Switch:	Yes

LIGHT	
Type:	LED R80 E27
Watt:	8W
Lumen:	800lm
colour Temp:	3000K-Warm White
Dimmable:	NO

EXHAUST	
Type:	Ball Bearing
Watt:	34W
Noise:	48dB
Airflow m/Hr:	260
Airflow Lt/sec:	72.22
Duct Outlet:	100mm
Duct Length:	1.5m
Draft Stopper:	Yes







9000050023

MODEL:	N0311H4
Power input:	200-240V~50/60Hz
Material:	PC
Air Flow :	⩽260m³/h
Total Watt :	1142W
Included :	Wall Control -4 Switch Φ100m*1.5m Aluminium ducting 2*100mm clamps Exterior Vent Draft Stopper 305*305mm cut-out template

HEAT	
heat lamp:	4*Infra Red R125 E27
Watt:	275W
Safety Switch:	Yes

LIGHT	
Type:	LED R80 E27
Watt:	8W
Lumen:	800lm
colour Temp:	3000K-Warm White
Dimmable:	NO

EXHAUST	
Type:	Ball Bearing
Watt:	34W
Noise:	48dB
Airflow m/Hr:	260
Airflow Lt/sec:	72.22
Duct Outlet:	100mm
Duct Length:	1.5m
Draft Stopper:	Yes



MODEL: LAS20AL/White

Cut-out slze: 345x190mm
Fan Airflow: 270m³/hr

HEAT

2X275 watt infrared lamps
provide instant heat

EXHAUST FAN

exhaust fan removes steam and fumes Side duct ventilation for effective operation

LIGHT

1XE276W LED bulb

INSTALLATION


Include plug and lead for easyinstallation. Cutout templateIncluded.Must not mounted offhorizontal.

Mounting kit included

Wall controllerwith 3 swirchs forseparate heat,fan and light control
2x275Wheat lamps
1xR636WLED bulb

Total Power;588W

9000014305





3 in 1 Heat, Light and Fan unit has you covered and stops that post shower chill.



9000021591


MODEL:	FR254
Motor:	50W YYS
Voltage:	AC 220-240V-50HZ
Air Flow :	<300m^3/h
Nosie:	⩽43db
Fascia Size:	Φ275mm
Cut Out Size:	Φ255mm
Duct Size:	Φ120mm





9000021593

MODEL:	FRL254
Motor:	50W YYS
Voltage:	AC 220-240V-50HZ
Air Flow :	⩽300m^3/h
Nosie:	⩽43db
Fascia Size:	Φ275mm
Cut Out Size:	Φ255mm
Duct Size:	Φ120mm
LED Lights:	10W 3000/4200/6500K
LED Lumens:	900Lm






9000169053

MODEL: H200-7L

- Elegant design
- Rated voltage AC220–240V , 50Hz
- Ideal for bathrooms,toilets or kitchens
- Side ducted with draft stopper
- Power cord included
- Turbo fan blade
- Longlife ball bearing motor




Quick and easy fan installation
Energy efficient 30W ball bearing motor



9000169052

MODEL: H200-7


- Elegant design
- Rated voltage AC220–240V , 50Hz
- Ideal for bathrooms,toilets or kitchens
- Side ducted with draft stopper
- Power cord included
- Turbo fan blade
- Longlife ball bearing motor



Quick and easy fan installation
Energy efficient 30W ball bearing motor




MODEL:	NEXE-DL1199 TRINNA
Color:	White
Material:	Plastic
Voltage:	AC 240V 50/60Hz
Wattage:	10W
Demension:	D115 * H58mm
CCT:	3000K /4000K/6000K
CRI:	Ra>80
IP rate:	IP44
Light source:	SMD LED






MODEL:	NEXE-DL1215 LILY
Color:	White/Black
Material:	Plastic
Voltage:	AC 240V 50/60Hz
Wattage:	10W
Demension:	φ103x85mm
CCT:	3000K /4000K/5000K
CRI:	Ra>80
IP rate:	IP44
Light source:	SMD LED





MODEL:	NEXE-DL1214 EVAA
Color:	White
Material:	Plastic
Voltage:	AC 240V 50/60Hz
Wattage:	10W
Demension:	ø108 * H44.5mm
CCT:	3000K /4000K/6000K
CRI:	Ra>80
IP rate:	IP44
Light source:	SMD LED





9000021590

MODEL:	NF-20
Motor:	30W ball bearing
Voltage:	AC 220-240V-50HZ
Air Flow :	⩽400m^3/h
Nosie:	⩽40db
Fascia Size:	Φ305mm
Cut Out Size:	Φ245mm

