Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications





Rotary LED Dimmer Module, Clipsal Iconic, 150W, 220-240V AC

42ELEDM2-VW

Main

Range	Clipsal Iconic
Product or component type	Dimmer
Device presentation	Mechanism
Dimmer type	Trailing edge
Colour tint	Vivid white (VW)
Type of packing	Box
Load type	Dimmable LED - 150 W

Complementary

Range compatibility	Clipsal Iconic	
Fixing mode	Clip-in	
Surface finish	Glossy	
Ambient air temperature for storage	060 °C	
Dimmer control	Rotary	
[Ue] rated operational voltage	220240 V AC 50 Hz 150 W	
Function available	Brightness adjustment	
Protection type	Short-circuit Overload protection Thermal protection	
Ambient air temperature for operation	045 °C	
Relative humidity	590 %	
Connections - terminals	2-wire supply	
Material	PC (UL94 V-2): top PC MAS056 (UL94 V-2): bottom	
Height	22.84 mm	
width	22.84 mm	
Depth	55.35 mm	
Embedding depth	39 mm	

Environment

Standards	AS/NZS 60669.2.1
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.0 cm
Package 1 Width	7.8 cm
Package 1 Length	9.5 cm
Package 1 Weight	57.0 g
Unit Type of Package 2	PAL
Number of Units in Package 2	2304
Package 2 Height	105.0 cm
Package 2 Width	114.0 cm
Package 2 Length	114.0 cm
Package 2 Weight	192.0 kg
Unit Type of Package 3	CAR
Number of Units in Package 3	48
Package 3 Height	22.7 cm
Package 3 Width	26.4 cm
Package 3 Length	33.8 cm
Package 3 Weight	3.67 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

⊘ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	18
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

Circularity Profile	End of Life Information
Take-back	No

Image of product / Alternate images

Alternative





42ELEDM2-VW





42ELEDM2-VW





42ELEDM2-VW



