


Product data sheet

Characteristics

NEXE203-B

3 gang grid plate



Main

| Range of product | NEXE |
|-----------------------|-------------------------|
| Device short name | NEXE203-B |
| Plug, socket category | |
| Poles description | |
| Network type | |
| Outlet standard | Australian/ New Zealand |

Complementary

| Plug, socket, control station shape | |
|-------------------------------------|---------------|
| Pin number | |
| Shape of pin | |
| Rated current | |
| Rated operational voltage | |
| Network frequency | |
| Material | Polycarbonate |
| Connections -terminals | |
| Cable entry | |
| Colour | Black |

Environment

| Standards | AS 3133:2020 AS/NZS 3100:2022 |
|---------------------------------------|----------------------------------|
| IP degree of protection | |
| Ambient air temperature for operation | -2575°C |
| Ambient air temperature for storage | -2575°C |

Packing Units

| Unit Type of Package 1 | |
|------------------------------|--------|
| Number of Units in Package 1 | 20 |
| Package 1 Height | 18cm |
| Package 1 Width | 13cm |
| Package 1 Length | 16cm |
| Package 1 Weight | 1 ka |
| Unit Type of Package 2 | |
| Number of Units in Package 2 | 200 |
| Package 2 Height | 67cm |
| Package 2 Width | 37cm |
| Package 2 Length | 17.5cm |
| Package 2 Weight | 11 kg |